

FIG. 1: Single User Matched Filter Correlator (Prior Art)




FIG. 2: Multiuser Matched Filter Correlators (Prior Art)




FIG. 3: OPRA Block Diagram




FIG. 4: Complex Baseband Correlator




FIG. 5: Complex Intermediate Frequency Correlator




FIG. 6: DDID Architecture




FIG. 7: DDID Module Stack

Time t	Operation	CCD site				CCD output y
		(1, y)	(2, y)	(3, y)	(4, y)	
0	Start	0	0	0	0	0
1	s(1)	s(1) m(1,y)	s(1) m(2,y)	s(1) m(3,y)	s(1) m(4,y)	0
2	Shift + s(2)	s(2) m(1,y)	s(1) m(1,y) + s(2) m(2, y)	s(1) m(2,y) + s(2) m(3,y)	s(1) m(3,y) + s(2) m(4, y)	s(1)m(4,y)
3	Shift + s(3)	s(3) m(1,y)	s(2) m(1, y) + s(3) m(2, y)	s(1) m(1,y) + s(2) m(2,y) + s(3) m(3, y)	s(1) m(2,y) + s(2) m(3,y) + s(3) m(4, y)	s(1) m(3,y) + s(2) m(4,y)
4	Shift + s(4)	s(4) m(1,y)	s(3) m(1,y) + s(4) m(2, y)	s(2) m(1, y) + s(3) m(2, y) + s(4) m(3, y)	s(1)m(1,y) + s(2) m(2, y) + s(3) m(3,y) + s(4) m(4, y)	s(1) m(2,y) + s(2) m(3, y) + s(3) m(4,y)
5	Shift + s(5)	s(5) m(1,y)	s(4) m(1,y) s(5) m(2,y)	s(3)m(1,y) + s(4)m(2,y) + s(5)m(3,y)	s(2) m(1,y) + s(3) m(2,y) + s(4) m(3,y) + s(5)m(4,y)	s(1) m(1,y) + s(2) m(2,y) + s(3) m(3,y) + s(4) m(4,y)
6	Shift + s(6)	s(6) m(1,y)	s(5) m(1,y) + s(6) m(2,y)	s(4) m(1,y) + s(5) m(2,y) + s(6) m(3,y)	s(3) m(1,y) + s(4) m(2,y) + s(5) m(3,y) + s(6) m(4,y)	s(2) m(1,y) + s(3) m(2,y) + s(4) m(3,y) + s(5) m(4,y)

FIG. 8: DDID Operation (4 Stage TDI)




FIG. 9: Integrated Mask and Detector Architecture




FIG. 10: General Multiplying Integrated Hypothesis and TDI Detector




FIG. 11: Binary Integrated Hypothesis and TDI Detector





FIG. 12: Space Integration Traveling Wave Displacement Architecture

FIG. 13: Single Channel of Space Integration Traveling Wave Displacement



$$\text{output}(t) = e^{ja(t - \frac{T}{2})} \int_0^L g(x) f(t - \frac{T}{2} + \frac{x}{v}) e^{j\frac{x}{v}(\omega - \omega_x)} dx$$

$$power(l) = \left| \int_b^l g(x) f(l - \frac{T}{2} + \frac{x}{v}) e^{-\omega_v x} dx \right|^2$$





FIG. 14: Space Integration Traveling Wave Displacement Architecture with Coherent Detection






FIG. 16: Time Integrating Vector-Matrix Multiplier




FIG. 17: Time Integrating Matrix-Matrix Multiplier




FIG. 18: Compact Time Integrating Matrix-Matrix Multiplier




FIG. 19: Compact Module Stack